

Assembly Instructions, Safety and Care Information

THE PORTABLE BAPTIZO



SAFETY & NOTES

💡 Please read carefully before assembly and first use.

What is the Baptizo intended for?

- For temporary set-up for adult baptisms only
- Not for permanent operation or use as play equipment

Who may assemble it?

- Only technically skilled and competent persons
- Assemble with great care and only as instructed

What must be observed at all times?

- Never leave the pool unattended when filled with water
- Check the liner for damage before assembly
- Do not modify the support frame or the liner
- Do not use as a toy!
- Children under 14 years of age are not permitted to use the pool
- Keep small children away from the water – risk of drowning!
- Secure access to the pool to prevent the risk of injury (parents are liable!)

Further important information

- Keep plastic packaging of small parts out of reach of children under 5 years (risk of suffocation!)
- Risk of slipping on the floor mat during use
- Observe the local building regulations (ceiling load limits!)
- Dispose of only in accordance with legal regulations
- Note in accordance with the Product Liability Act: The manufacturer is not liable for damage resulting from improper use.

SCAN FOR
OTHER
LANGUAGES




ASSEMBLY

- Set up only on a clean, level surface
- No outdoor shoes in the pool area (to protect the liner)
- Assembly by two people is recommended

Step 1: Piece the floor pads together

1. Lay the 16 foam pads on the floor and connect them to a 4x4 square.
2. Remove the edge pieces as follows (only needed for initial assembly):
 - The 4 corner pads stay as they are
 - The 4 middle pads: remove both edge pieces
 - The remaining 8: remove only the longer edge piece (wraps around the corner)

💡 Goal: a seamless, smooth floor surface with a clean outer edge.



Step 2: Bolt the support frame together

1. Lay all side panels on the floor with the smooth side facing down
 - 💡 The hexagonal threaded bolts should point upwards, the stickers on the back should not be visible.
2. Connect them in sequence to form one long strip:
 - Slide the next side panel onto the free threaded bolts.
 - Clip the plastic washers onto the screws (first assembly only)
 - Insert the screws and tighten them (hand-tight only!).

💡 A cordless screwdriver with a slip clutch saves a lot of time here. Use the middle clutch setting (approx. 1.5–2 Nm).

Step 3: Set up the support frame

1. Carefully lift the connected strip together with a second person.
2. Bend the short ends towards each other until a ring is formed, and bolt the strip together into the circular support frame.

💡 Caution: The black screws are fastened from the outside of the ring and are visible from the outside. The sticker goes on the inside!

3. Position the ring centrally on the assembled floor pads (check the floor surface for cleanliness again beforehand if necessary).

Step 4: Fit the liner

1. Place the folded liner package in the centre of the ring and unfold it.


💡 Caution: The liner has an inside and an outside! The inside (the baptism side) is the slightly more matte one and should always stay well protected "inside" the folded package (as delivered). Please excuse possible small marks on the outside – these are production-related.

2. Now pull the upper edge evenly over the support frame.

💡 Caution: Use your hand to help from the inside so that the liner is not over-stretched. Do not simply pull it hard over the edge.

It is correct when:

- The corner seam sits evenly at the bottom of the inner edge.
- Approx. 1 cm of space remains between the liner edge and the 2nd screw outside.



💡 Common mistakes:

- Do not pull the liner too deep or unevenly over the outside of the pool edge. The second screw from the top always remains visible!
- The liner must sit neatly against the seam on the inside.
- Check for the correct liner side: the reinforcement at the edge is not fully visible and is mostly covered. Only the baptism side remains visible.

Step 5: Smooth out the floor

1. Fill in a little water (3–5 cm).
2. Pull the liner on the floor completely smooth by hand.
 - 💡 Caution: As little water pressure and tension as possible should rest on the circular seam at the bottom. So please smooth out the floor completely. (It also simply looks better in your photos.)



Step 6: Filling with water

Fill the pool up to approx. 12–15 cm below the pool edge (depending on the baptism technique / no. of people later in the pool). Water level rises during baptism!

💡 Ideal temperature: from 18°C, maximum 28°C (to protect the liner).

DISASSEMBLY

Step 1: Pump out the water

1. Connect the submersible pump to the suction hose.
 - 💡 We recommend a quick-release coupling (see our Essentials Kit).
2. Place the pump in the water – only then plug it in!
 - 💡 Prevent the pump from suctioning onto the bottom to protect the liner. At a low water level, the liner can also be partially pulled together.



Step 2: Remove the remaining water & dry the liner

1. Pour out any remaining water.
 2. Hang the liner back into the support frame and dry it completely with a towel.
- 💡 Again, make sure the surface is clean – this protects against damage.



Step 3: Fold & pack the liner

1. Carefully pre-fold the dry liner (baptism side facing inwards!)
2. Pack it in the protective bag provided.



Step 4: Disassemble the support frame and floor

1. Carefully pull the panels apart, remove the screws.
 2. Take the floor pads apart, re-attach the edge pieces if necessary.
- 💡 For the details, simply read the assembly steps in reverse.

STORAGE & CARE

Panels

- Please store in the special bag provided, this protects the surface.
- Cleaning: with a microfibre cloth and warm water or plastic cleaner (the cleaner must be solvent-free).

Screws

- Please store dry in the bag provided (despite their stainless-steel quality).

Liner

- Please keep in the protective bag provided and handle with care, it is sensitive to sharp objects. Please only fold on a clean surface.
- Even the smallest damage can be repaired with the enclosed repair kit.

💡 The liner is a very high-quality custom-made product – with proper care, you will enjoy it for at least 10 years.

CONTACT & SUPPORT

Do you have any questions, need spare parts or help with assembly?

We are happy to help:

- Email: mail@baptizo.church
- Mobile: +49 (0)160 976 876 10

WARRANTY

The Baptizo was made with great love and to the best of our knowledge.

💡 Should something nevertheless not be right – we will find a solution to your satisfaction, guaranteed and for life. Just get in touch with us!

The production card is attached to the liner, please keep it in a safe place.

MANUFACTURER'S INFORMATION

Baptizo Baptistries
Owner Stefan Schödel

Dr.-Daßler-Str. 57, 91074 Herzogenaurach, Germany
Email: mail@baptizo.church
Mobile: +49 160 976 876 10
VAT ID: DE321334996

